

2017-10

Computerized Virtual Reality Simulation in Preclinical Dentistry: Can a Computerized Simulator Replace the Conventional Phantom Heads and Human Instruction?

Plessas, A

<http://hdl.handle.net/10026.1/11267>

10.1097/sih.0000000000000250

Simulation in Healthcare: The Journal of the Society for Simulation in Healthcare

Ovid Technologies (Wolters Kluwer Health)

All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.

TITLE PAGE

Title: Computerized Virtual Reality Simulation in Preclinical Dentistry.

Can a computerized simulator replace the conventional phantom heads and human instruction?

Author: Anastasios Plessas MSc

(Qualifications: DipDS, MSc, DipPCD RCSI, MFGDP(UK), FHEA)

NIHR Academic and Clinical Fellow in General Dental Practice, Peninsula Dental School, Plymouth University

Correspondence: Anastasios Plessas, C507, Portland Square, Peninsula Dental School, Plymouth University, PL4 8AA,

E-mail: anastasios.plessas@plymouth.ac.uk,

Tel: +44 (0)1752 286841

Word Count: 2.749

Conflict of interest: NONE

Summary Statement

In preclinical dental education, the acquisition of clinical, technical skills and the transfer of these skills to the clinic are paramount. Phantom heads provide an efficient way to teach preclinical students dental procedures safely while increasing their dexterity skills considerably. Modern computerized phantom head training units incorporate features of virtual reality technology and the ability to offer concurrent augmented feedback. The aim of this review was to examine and evaluate the dental literature for evidence supporting their use and discuss the role of augmented feedback versus the facilitator's instruction. Adjunctive training in these units seems to enhance student's learning and skill acquisition and reduce the required faculty supervision time. However, the virtual augmented feedback cannot be used as the sole method of feedback, and the facilitator's input is still critical. Well-powered longitudinal randomized trials exploring the impact of these units on student's clinical performance and issues of cost-effectiveness are warranted.

147 words

Key Words: dental education, faculty, simulation training

53

54 INTRODUCTION

55 Operative dentistry is a demanding area of clinical education ¹. The development of
56 clinical competence requires the assimilation of large amounts of knowledge
57 combined with the acquisition of clinical skills and problem-solving ability ¹. One of
58 the most essential clinical skills in operative dentistry is preparing and restoring
59 carious teeth. The student needs to comprehend the concepts of the procedure and
60 develop the fine motor skills to perform it ². The acquisition of clinical, technical skills
61 and the transfer of these skills to the clinic, where real patients are treated, is of
62 paramount importance ³. This can be achieved by vigorous training on phantom
63 heads ⁴. Phantom heads provide an efficient way to teach preclinical students dental
64 procedures safely while increasing their psychomotor skills considerably ^{4, 5}.

65 Phantom heads have been the cornerstone of learning in operative dentistry
66 worldwide since their introduction in 1894 ⁴. The phantom head is affixed to
67 a dental operating unit with a torso, in a manner that allows adjustment of
68 position to allow the students to work in a seated position as they would in a
69 clinical setting ³. The heads also have a rubber sheet which provides an
70 approximation of the patient's cheeks and mouth opening (Figure 1) ³.
71 Phantom heads replicate the real-life clinical environment including
72 positioning of the operator and the patient, performing dental procedures
73 with an assistant, and infection control procedures³. Traditionally in
74 preclinical simulation training, the students are shown models, diagrams,
75 and pictures and are asked to repeatedly perform dental procedures on
76 plastic phantom head teeth ⁶. The learners receive verbal feedback by a

77 faculty instructor when they have completed all or a portion of a cavity or
78 tooth preparation task (Figure 2) ⁷.

79 In recent years, technological advances have facilitated the incorporation of virtual
80 reality simulation technology in preclinical operative dental education. Virtual reality
81 simulators provide the opportunity for integrating clinical case scenarios in the
82 operative teaching environment and also facilitating the tactile diagnostic skills by
83 utilizing haptic technology ¹. To date, two types of computerized virtual reality dental
84 simulators are available: mannequin-based simulators on which certain dental
85 procedures can be performed using real dental instruments (e.g. DentSim TM and
86 Image Guided Implantology IGI both produced by the DenX, Ltd.) and haptic-based
87 simulators which employ a haptic device and virtual models of a human tooth or
88 mouth as a platform for facilitating the practise of dental procedures (e.g PHANTOM
89 TM, Virtual Reality Dental Training System VRDTS, Iowa Dental Surgical Simulator,
90 HapTEL, VirDenT & Moog Simodont Dental Trainer) ^{1, 5, 6}.

91 The mannequin-based computerized simulators combine the benefits of training on a
92 traditional phantom head operating unit ³, with the benefits of virtual reality simulation
93 ⁸. These units were the focus of the present review; hereinafter referred to as CVRS.

94 A computerized phantom head dental simulator which incorporates virtual reality
95 features and provides augmented visual feedback is the DentSim Unit ¹. It has been
96 available since 1997 and has been used and evaluated in Dental Institutions in the
97 U.S., Europe, and Asia ^{1, 6, 9-11}. The unit includes a phantom head, a dental
98 handpiece, a light source, an infrared camera and two computers. The phantom
99 head and handpiece contain infrared emitters which allow the infrared camera to
100 detect their spatial orientation in space ^{6, 8}. As a student prepares a cavity in the

phantom head, the software formulates a virtual three-dimensional representation of the preparation in progress which is presented on the computer screen (Figure 3)^{6, 8}. The student's cavity preparation can be compared to the ideal cavity preparation by overlaying the two virtual reality images at any time during the procedure^{6, 8, 12}. Procedural errors are audio-signalled as they are made and the generated error messages can be viewed immediately¹². A final evaluation report and a list of errors become available at the end of the procedure^{6, 12}. The virtual environment is enhanced with complete patient records including examination notes and radiographs which provide a more realistic environment, bringing the technical tasks into a clinical context, during the simulation training¹².

This aim of this review was to examine and evaluate the existing body of literature on the use of the CVRS in preclinical dental education. The impact on student's performance and learning experience, as well as the role of the faculty instruction versus the augmented visual feedback provided by these units, in the clinical skills acquisition simulation training, is discussed.

METHODS

A search of the literature was performed searching the following databases via EBSCO: Medline, British Educational Index, and ERIC. The search terms used and the search strategy can be found in Table 1. Papers in which the CVRS were discussed in terms of preclinical dental education were included. Studies using CVRS in postgraduate dental education as well studies using haptic technology simulation systems were excluded. Only studies in the English language were considered for inclusion. Finally, no limits for study design were applied.

The citations retrieved from the above search (79) were inserted into the reference management software Endnote X7.4. The titles and abstracts were screened for relevance. The potentially relevant papers (33) were accessed and read in full-text. The selection process of the included studies (16) and the reasons for exclusion are depicted in the PRISMA flowchart (Figure 4).

RESULTS

Impact on student performance

From the 79 articles retrieved, 16 were deemed relevant and were included in this review. From these, five prospective experimental studies assessed the students' performance in cavity preparation after additional training on the CVRS. The main characteristics and results of these studies can be found in Table 2. Concerning the quality of tooth preparations, most of the studies found no significant differences between those who trained solely on conventional phantom heads versus those who had been exposed adjunctively to the CVRS^{2, 13-15}. Conversely, Kikuchi demonstrated that students using the CVRS units performed better quality crown preparations than those who did not⁹. Similarly, when first-year dental students received eight hours of adjunctive computerized dental simulation training, although they performed better early in the study, their clinical performance did not differ as assessed by the final practical examination¹². As the retention and transferability of skill and knowledge are concerned, several studies found no significant differences in final practical exam scores^{12, 16, 17}. LeBlanc et al. did not identify any marked differences in the final exam scores but observed a more significant improvement between the first and final assessment scores for the CVRS group². In contrast, Magio et al. suggested that the introduction of the CVRS in preclinical dental training

resulted in a reduction in the course remediation rate and reduction of the course failure rates by more than a half ^{18, 19}.

Time efficiency

In an experimental study at the University of Pennsylvania, the students who received CVRS training showed a higher efficiency in cavity preparations than the students who trained on the traditional phantom heads ¹⁶. Namely, they prepared significantly more teeth per hour (3.8 versus 1.6) and used more teeth (average of 11.71 versus 6.57 for control, $p=0.02$) during their practising session ¹⁶. Similarly, training sessions with CVRS shortened the crown preparation time performed by fifth-year dental students at Tokyo Medical and Dental University ⁹. Besides, virtual reality simulators appear to reduce the required instruction and supervision time by faculty members of staff ¹⁶. Jasinevicius et al. demonstrated that students who were trained on conventional simulators received five times more instructional time from faculty than students who were trained on virtual reality ones. However, there were no statistically significant differences in the quality of the preparations despite the additional instructional time ¹³.

Student learning experience

Several studies have surveyed dental students about their preferences over conventional or virtual reality simulation. CVRS training seems to be rated rather positively by the students. The majority (87.3%) of first-year students at Tennessee Dental school working with CVRS found the experience to be “very interesting” or “interesting” ¹¹. Amongst the positive features of virtual reality simulators, as perceived by dental students, were the positive impact on improving their manual

and motor skills¹⁶, the increased speed and number of preparations^{10, 16}, the access to feedback¹⁴, the ability for the student to monitor their own work without involvement of a supervisor^{10, 14}, the preparation for assessment, the consistency of evaluation^{14, 15} and the allowance for self-paced learning^{10, 14}. Students criticized the CVRS for excessive feedback, lack of personal contact and technical difficulties with hardware^{14, 15}. Also, students agreed that virtual reality simulators could not fully replace the conventional phantom heads and the combination of the two is the most preferable and effective way of learning^{14, 15}. On the other hand, students found that the feedback and supervision by faculty facilitators can be inconsistent, and supervisors can be too busy, but it increases their confidence in cavity preparations^{14, 15}.

Feedback

As far as quality and effectiveness of instruction and feedback is concerned, several studies have suggested that the virtual reality simulator could not be accepted as the sole form of feedback and evaluation the students should be exposed to. Namely, Urbankova et al. concluded that CVRS augmented feedback cannot replace human instruction¹². Quin et al. suggested that CVRS is not appropriate as a sole method of feedback and evaluation for novice dental students^{14, 15}. This statement agrees with a later study in which sole CVRS feedback was not found beneficial, as the retention and transfer test scores between students who used CVRS versus conventional phantom heads did not differ significantly¹⁷. By the same token, Wierinck et al. have suggested that alternating virtual reality with human instruction and feedback can result in positive learning outcomes⁷.

DISCUSSION

The role of simulation has been recognized as an important aspect of training in healthcare which supports and improves patient safety ²⁰. Technology-enhanced simulation, including virtual reality training, has been associated with positive outcomes for healthcare trainee's knowledge and skills ²¹. The use of virtual reality simulators for the training of novice surgical trainees has been supported by a number of systematic reviews ²²⁻²⁶. In laparoscopic surgery, it has been shown to result in a significant reduction in operating time and procedural errors while improving the trainees' performance scores ^{23, 24}. Besides, two recent systematic reviews by the Cochrane Collaboration, in the fields of endoscopy and ENT surgery, suggested that virtual reality simulation can be used to supplement traditional surgical training for medical students and surgical trainees with little or no surgical experience ^{25, 26}. Nonetheless, the authors concluded that virtual reality training allows trainees to develop technical skills at least as good as those achieved through conventional training ²⁵.

Similarly, adjunctive training on the dental CVRS has the potential to improve student's clinical performance and enhance their practical examination scores ^{9, 12, 15, 17}. The augmented feedback through visual cues can facilitate proper eye-hand coordination, and reduce the number of procedural errors ¹². Confronting the students with their own errors as they are made, allows them to visually inspect their work compared to an ideal model ^{14, 17} and instantaneously rectify it, which can potentially increase learning efficiency and skill development ¹². Noteworthy, although students seemed to perform better early after the CVRS training, their clinical performance in final exams did not differ from that of the students who trained

219 solely on traditional phantom-head units^{12, 16, 17}. The fact that the amount of transfer
220 from one task onto another depends on the similarity of the neural processing
221 demands, underlying motor execution, may offer an explanation¹⁷. Besides, the
222 transferability of skills from one context to another is not an uncommon finding in
223 healthcare simulation. Namely, studies in the fields of bronchoscopy, endoscopy and
224 laparoscopic surgery have shown that skills acquired using virtual-reality simulation
225 will transfer to the operating room²⁷⁻²⁹.

226 Nonetheless, with the expansion of the dental curricular content, the effective use of
227 student's time has become an increasing necessity¹⁴. CVRS training has shown to
228 improve students' efficiency in teeth preparations^{9, 16} and reduce the required time
229 for faculty instruction and supervision¹³. Hence, the faculty instructors' time can be
230 utilized in teaching the students crucial non-procedural skills such as patient
231 management, ethics, and teamwork. Sharing their expertise and experiences in the
232 transition of a student from novice to clinician remains critical^{7, 12}.

233 The unsuitability of the use of CVRS feedback as the sole method of feedback and
234 evaluation for novice students is a consistent criticism amongst the included studies
235 7, 14, 15, 17. Although CVRS appear to be a reliable method for monitoring technical
236 progress, addressing the issue of lack of reproducibility amongst assessors¹⁵; they
237 cannot be used as a substitute for expert feedback. It has been suggested that the
238 extensively detailed and sometimes complex computer feedback can be
239 discouraging and overwhelming, especially for the inexperienced students^{13, 17}.
240 Appropriate faculty input will reinforce learned theoretical concepts and will provide
241 the students with insight into the weaknesses of their performance^{2, 14}. Contextual
242 learning will enable the students to achieve a deeper understanding of theoretical

243 concepts and the impact of any procedural errors (e.g. the biological, clinical, and
244 medico-legal implications of damaging an adjacent tooth or unnecessarily preparing
245 a rather deep cavity).

246 In a modern preclinical environment, students will reflect on the feedback received
247 by the simulator, the facilitator or both. CVRS can provide the student with
248 continuous (100%) augmented feedback or they can be set to provide feedback less
249 frequently or none at all. In traditional phantom head preclinical courses, the
250 supervisors offer feedback at the end of critical parts of the procedure and the end of
251 the task. Usually, the ratio of supervisors to students does not permit every student
252 to receive constant feedback and instruction during the dental procedure. According
253 to Wierinck et al. continuous (100%) CVRS feedback during the task did not offer
254 any additional benefit over intermittent (66% of the time) feedback ⁷. Nonetheless, a
255 recent meta-analysis suggested that terminal feedback appears more effective than
256 concurrent feedback for novice learners' skill retention ³⁰. The mechanism by which
257 feedback may be operating is in line with the guidance hypothesis ³¹ and to some
258 extent, the cognitive load theory ³².

259 The guidance hypothesis suggests that constant feedback from an instructor during
260 each practice attempt (concurrent feedback) may lead to an over-reliance on the
261 feedback such that when feedback is withdrawn, the learner's performance declines
262 ^{30, 31}. Reduced frequency of instruction may, therefore, enhance motor skill learning
263 and detection of errors ³³. According to the cognitive load theory, feedback provided
264 during a procedural skills session could influence cognitive load, either increasing it
265 by providing 'information-overload,' or decreasing it by structuring the task so that it

is better understood ^{30, 32}. Thus, it is plausible that continuous feedback may cognitively overload the learner and hinder their learning ³⁰.

The included studies assessed the suitability and effectiveness of the CVRS units as an adjunctive training tool for novice dental students. These units can also act as a valid and reliable screening device to capture expert performance ⁸. Wierinck et.al suggested that the DentSim unit can distinguish different levels of excellence in performance (expert versus novice) ⁸. On that ground, CVRS may be used in other areas such as continuing dental education, continued competency of practitioners, clinical board exams and remediation of impaired practitioners ⁶. Future research will be needed to explore the feasibility of CVRS in these areas. Furthermore, evidence for the long-term effect of CVRS training on the students' clinical performance and competence as well as data regarding the cost-effectiveness of these devices is currently lacking. Future studies should conform to the extended CONSORT and STROBE reporting guidelines for healthcare simulation research²⁰, to ensure complete reporting and transparency in the research conduct ^{20, 34}.

CONCLUSION

The existing body of evidence suggests that combining and alternating the traditional and pioneering simulation methods and feedback may be of benefit to the learners. However, there is insufficient evidence to advise for or against the use of computerized virtual reality simulators as a replacement of the traditional phantom heads and human instruction. Virtual reality simulation may enable a better understanding among learners in a more diverse learning environment and augment rather than replace existing teaching methods that work well such as faculty instruction and feedback. Incorporating such a technology in the dental curriculum

can add a substantial expense nevertheless to a dental faculty's budget. Well-designed and adequately powered long-term prospective studies exploring matters of student performance, learning outcomes, and cost effectiveness are warranted.

ACKNOWLEDGMENTS

The author would like to thank the reviewers for their thoughtful comments which substantially improved the quality of this review. Also, the author would like to thank Mr Lloyd Russell (Digital marketing, Plymouth University, England UK) for kindly offering the images appearing in Figure 1 and 2 and Professor Els Wierinck (KU Leuven - Department of Oral Health Sciences, University Hospitals Leuven, Belgium) for offering the DentSim images appearing in Figure 3. The author is an NIHR (National Institute for Health Research) funded Academic Clinical Fellow at Peninsula Dental School (Plymouth University).

316

317 REFERENCES

318

- 319 1. Duta M AC, Bogdan CM, Popovici DM, Ionescu N, Nuca CI: An Overview of Virtual
320 and Augmented Reality in Dental Education. *Oral Health Dent Manag.* 2011; 10:42-9.
- 321 2. LeBlanc VR, Urbankova A, Hadavi F, Lichtenthal RM: A preliminary study in using
322 virtual reality to train dental students. *J Dent Educ.* 2004; 68:378-83.
- 323 3. Suvinen TI, Messer LB, Franco E: Clinical simulation in teaching preclinical dentistry.
324 *Eur J Dent Educ.* 1998; 2:25-32.
- 325 4. Fugill M: Defining the purpose of phantom head. *Eur J Dent Educ.* 2013; 17:e1-4.
- 326 5. Kapoor S, Arora P, Kapoor V, Jayachandran M, Tiwari M: Haptics - touchfeedback
327 technology widening the horizon of medicine. *J Clin Diagn Res.* 2014; 8:294-9.
- 328 6. Buchanan JA: Use of simulation technology in dental education. *J Dent Educ.* 2001;
329 65:1225-31.
- 330 7. Wierinck E, Puttemans V, van Steenberghe D: Effect of reducing frequency of
331 augmented feedback on manual dexterity training and its retention. *J Dent.* 2006; 34:641-7.
- 332 8. Wierinck ER, Puttemans V, Swinnen SP, van Steenberghe D: Expert performance on
333 a virtual reality simulation system. *J Dent Educ.* 2007; 71:759-66.
- 334 9. Kikuchi H, Ikeda M, Araki K: Evaluation of a virtual reality simulation system for
335 porcelain fused to metal crown preparation at Tokyo Medical and Dental University. *J Dent*
336 *Educ.* 2013; 77:782-92.
- 337 10. Rees JS, Jenkins SM, James T, Dummer PM, Bryant S, Hayes SJ, Oliver S, Stone
338 D, Fenton C: An initial evaluation of virtual reality simulation in teaching pre-clinical operative
339 dentistry in a UK setting. *Eur J Prosthodont Restor Dent.* 2007; 15:89-92.
- 340 11. Welk A, Maggio MP, Simon JF, Scarbecz M, Harrison JA, Wicks RA, Gilpatrick RO:
341 Computer-assisted learning and simulation lab with 40 DentSim units. *Int J Comput Dent.*
342 2008; 11:17-40.
- 343 12. Urbankova A: Impact of computerized dental simulation training on preclinical
344 operative dentistry examination scores. *J Dent Educ.* 2010; 74:402-9.
- 345 13. Jasinevicius TR, Landers M, Nelson S, Urbankova A: An evaluation of two dental
346 simulation systems: virtual reality versus contemporary non-computer-assisted. *J Dent Educ.*
347 2004; 68:1151-62.

- 348 14. Quinn F, Keogh P, McDonald A, Hussey D: A study comparing the effectiveness of
349 conventional training and virtual reality simulation in the skills acquisition of junior dental
350 students. *Eur J Dent Educ.* 2003; 7:164-9.
- 351 15. Quinn F, Keogh P, McDonald A, Hussey D: A pilot study comparing the effectiveness
352 of conventional training and virtual reality simulation in the skills acquisition of junior dental
353 students. *Eur J Dent Educ.* 2003; 7:13-9.
- 354 16. Buchanan JA: Experience with virtual reality-based technology in teaching restorative
355 dental procedures. *J Dent Educ.* 2004; 68:1258-65.
- 356 17. Wierinck E, Puttemans V, Swinnen S, van Steenberghe D: Effect of augmented
357 visual feedback from a virtual reality simulation system on manual dexterity training. *Eur J*
358 *Dent Educ.* 2005; 9:10-6.
- 359 18. Maggio MP BJ, Berthold P, Gottlieb R: Curriculum Changes in Preclinical Laboratory
360 Education with Virtual Reality-Based Technology Training. *J Dent Educ.* 2005; 69:160.
- 361 19. Maggio MP BJ, Berthold P, Gottlieb R: Virtual Reality-Based Technology (VRBT)
362 Training Positively Enhances Performance on Preclinical Practical Examinations. *J Dent*
363 *Educ.* 2005; 69:161.
- 364 20. Cheng A, Kessler D, Mackinnon R, Chang TP, Nadkarni VM, Hunt EA, Duval-Arnould
365 J, Lin Y, Cook DA, Pusic M, Hui J, Moher D, Egger M, Auerbach M: Reporting Guidelines for
366 Health Care Simulation Research: Extensions to the CONSORT and STROBE Statements.
367 *Simul Healthc.* 2016; 11:238-48.
- 368 21. Cook DA, Hatala R, Brydges R, et al.: Technology-enhanced simulation for health
369 professions education: A systematic review and meta-analysis. *JAMA.* 2011; 306:978-88.
- 370 22. Larsen CR, Oestergaard J, Ottesen BS, Soerensen JL: The efficacy of virtual reality
371 simulation training in laparoscopy: a systematic review of randomized trials. *Acta Obstet*
372 *Gynecol Scand.* 2012; 91:1015-28.
- 373 23. Gurusamy K, Aggarwal R, Palanivelu L, Davidson BR: Systematic review of
374 randomized controlled trials on the effectiveness of virtual reality training for laparoscopic
375 surgery. *Br J Surg.* 2008; 95:1088-97.
- 376 24. Ikonen TS, Antikainen T, Silvennoinen M, Isojarvi J, Makinen E, Scheinin TM: Virtual
377 reality simulator training of laparoscopic cholecystectomies - a systematic review. *Scand J*
378 *Surg.* 2012; 101:5-12.
- 379 25. Piromchai P, Avery A, Laopaiboon M, Kennedy G, O'Leary S: Virtual reality training
380 for improving the skills needed for performing surgery of the ear, nose or throat. *Cochrane*
381 *Database Syst Rev.* 2015:Cd010198.

26. Walsh CM, Sherlock ME, Ling SC, Carnahan H: Virtual reality simulation training for health professions trainees in gastrointestinal endoscopy. *Cochrane Database Syst Rev.* 2012;Cd008237.
27. Palter VN, Grantcharov TP: Virtual reality in surgical skills training. *Surg Clin North Am.* 2010; 90:605-17.
28. Dawe SR, Windsor JA, Broeders JA, Cregan PC, Hewett PJ, Maddern GJ: A systematic review of surgical skills transfer after simulation-based training: laparoscopic cholecystectomy and endoscopy. *Ann Surg.* 2014; 259:236-48.
29. Kennedy CC, Maldonado F, Cook DA: Simulation-based bronchoscopy training: systematic review and meta-analysis. *Chest.* 2013; 144:183-92.
30. Hatala R, Cook D, Zendejas B, Hamstra S, Brydges R: Feedback for simulation-based procedural skills training: a meta-analysis and critical narrative synthesis. *Adv Health Sci Educ.* 2014; 19:251-72.
31. Salmoni AW, Schmidt RA, Walter CB: Knowledge of results and motor learning: a review and critical reappraisal. *Psychol Bull.* 1984; 95:355-86.
32. Van Merriënboer JJG, Sweller J: Cognitive Load Theory and Complex Learning: Recent Developments and Future Directions. *Educ Psychol Rev.* 2005; 17:147-77.
33. Winstein CJ, & Schmidt, R. A. : Reduced frequency of knowledge of results enhances motor skill learning. *J Exp Psychol Learn Mem Cogn.* 1990; 16:677-91.
34. Sevdalis N, Nestel D, Kardong-Edgren S, Gaba DM: A Joint Leap into a Future of High-Quality Simulation Research-Standardizing the Reporting of Simulation Science. *Simul Healthc.* 2016; 11:236-7.

414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441

Table and Figure Legends

Table 1: Search strategy

Table 2: Studies comparing student's performance (CVRS versus traditional phantom heads)

Figure Legends

Figure 1. Phantom head dental simulator unit. Image courtesy of Plymouth University, Peninsula School of Medicine and Dentistry.

Figure 2. Traditional dental simulation training and faculty instruction. Images courtesy of Plymouth University Peninsula School of Medicine and Dentistry.

Figure 3. CVRS training interface for cavity preparation (DentSim™). Images courtesy of Professor Els Wierinck, KU Leuven - Department of Oral Health Sciences, University Hospitals Leuven, Belgium.

Figure 4. Flowchart. Study selection process.